

Effective: August 1, 2023

Prior Authorization Required

If REQUIRED, submit supporting clinical documentation pertinent to service request.

Yes No

Applies to:

Commercial Products

- Harvard Pilgrim Health Care Commercial products; 800-232-0816
- Tufts Health Plan Commercial products; 617-972-9409
CareLinkSM – Refer to CareLink Procedures, Services and Items Requiring Prior Authorization

Public Plans Products

- Tufts Health Direct – A Massachusetts Qualified Health Plan (QHP) (a commercial product); 888-415-9055
- Tufts Health Together – MassHealth MCO Plan and Accountable Care Partnership Plans; 888-415-9055
- Tufts Health RITogether – A Rhode Island Medicaid Plan; 857-304-6404
- Tufts Health Unify* – OneCare Plan (a dual-eligible product); 857-304-6304

*The MNG applies to Tufts Health Unify members unless a less restrictive LCD or NCD exists.

Senior Products

- Harvard Pilgrim Health Care Stride Medicare Advantage; 866-874-0857
- Tufts Health Plan Senior Care Options (SCO), (a dual-eligible product); 617-673-0965
- Tufts Medicare Preferred HMO, (a Medicare Advantage product); 617-673-0965
- Tufts Medicare Preferred PPO, (a Medicare Advantage product); 617-673-0965

Note: While you may not be the provider responsible for obtaining prior authorization, as a condition of payment you will need to ensure that prior authorization has been obtained.

Note: This guideline does not apply to Medicare Members (includes dual eligible Members).

Overview

Stereotactic radiosurgery (SRS) is similar in concept to SBRT and refers to stereotactically guided radiation therapy delivered to intracranial targets and selected tumors near the base of the skull. Stereotactic radiosurgery (SRS) delivers a single or very limited number of fractions of high dose of radiation to a well-defined tumor volume, rather than repeated small fractions to both cancer and normal cells.

Stereotactic body radiation therapy (SBRT) is a radiation treatment modality that couples a high degree of anatomic targeting accuracy and reproducibility with very high doses of extremely precise, externally generated, ionizing radiation. The therapeutic intent of SBRT is to maximize cell-killing effect on the target(s) while minimizing radiation-related injury in adjacent normal tissues. Stereotactic body radiation therapy refers to multifractional (typically two to five fractions) treatment of intracranial, spinal, or extracranial sites, such as the lung, head and neck, liver, pancreas, and prostate. SBRT can also be used for the treatment of oligometastatic disease.

Clinical Guideline Coverage Criteria

1. The Plan may authorize the coverage of stereotactic radiosurgery (SRS) when the Member meets **ONE** of the following:
 - a. Small intracranial or spinal arteriovenous malformations and the Member is considered a poor surgical candidate
 - b. Primary intracranial tumors not suitable for complete surgical resection or the Member has failed

- c. conventional therapy
 - d. Metastatic brain lesion(s) and the Member is with good performance status (Karnofsky Performance Status of $\geq 70\%$ or Eastern Cooperative Oncology Group (ECOG) Status ≤ 2)
 - e. Vestibular schwannoma or acoustic neurofibromatosis not amenable to surgical resection
 - f. Pituitary adenoma
 - g. Craniopharyngioma
 - h. Glomus jugulare tumors
 - i. Hemangiomas of the brain
 - j. Meningioma
 - k. Pineal gland tumors
 - l. Uveal or ocular melanoma
 - l. Trigeminal neuralgia and glossopharyngeal neuralgia refractory to treatment.
2. The Plan may authorize the coverage of definitive stereotactic body radiation therapy (SBRT) for treatment of primary non-metastatic lesions listed below when **ALL** of the following criteria are met:
- a. A high level of precision and accuracy or a high dose per fraction is necessary to minimize the risk of injury to surrounding normal tissues and treatment with conventional methods is not appropriate or safe for the Member; **AND**
 - b. Member is with good performance status (Karnofsky Performance Status of $\geq 70\%$ or Eastern Cooperative Oncology Group (ECOG) Status ≤ 2); **AND**
 - c. The Member is with **ONE** of the following:
 - i. Prostate cancer without evidence of distant metastasis (Up to six treatment sessions may be authorized for this diagnosis); or
 - ii. Stage I or II non-small cell lung cancer and **ONE** of the following is met;
 - o the disease is inoperable; or
 - o when SBRT is requested as an alternative to surgery for Member who is a high surgical risk or who refuses surgery after surgical consultation; or
 - iii. Pancreatic adenocarcinoma without evidence of distant metastasis; or
 - iv. Hepatocellular carcinoma without evidence of regional or distant metastasis
3. The Plan may authorize the coverage of stereotactic body radiation therapy (SBRT) for the treatment of bone metastases (including vertebral) when the Member has persistent or recurrent bone pain after a standard course of EBRT
4. The Plan may authorize the coverage of stereotactic body radiation therapy (SBRT) for the treatment of oligometastatic disease of extracranial sites when **ALL** of the following criteria are met:
- a. Primary tumor is breast, colorectal, melanoma, non-small cell lung, prostate, renal cell or sarcoma; and
 - b. ≤ 5 metastatic lesions²²; **and**
 - c. A controlled primary tumor: defined as at least 3 months since original tumor was treated definitively, with no progression at primary site^{12,13}; **and**
 - d. All metastatic sites are safely treatable; **and**
 - e. Member is with good performance status (Karnofsky Performance Status of $\geq 70\%$ or Eastern Cooperative Oncology Group (ECOG) Status ≤ 2)¹³; **and**
 - f. No documentation of evidence of malignant pleural effusion, leptomeningeal or peritoneal carcinomatosis

Karnofsky performance status measures

Score Definition

- 100 - Normal; no complaints; no evidence of disease.
- 90 - Able to carry on normal activity; minor signs or symptoms of disease.
- 80 - Normal activity with effort; some signs or symptoms of disease.
- 70 - Cares for self; unable to carry on normal activity or to do active work.
- 60 - Requires occasional assistance, but is able to care for most of their personal needs.
- 50 - Requires considerable assistance and frequent medical care.
- 40 - Disabled; requires special care and assistance.
- 30 - Severely disabled; hospital admission is indicated although death not imminent.
- 20 - Very sick; hospital admission necessary; active supportive treatment necessary.
- 10 - Moribund; fatal processes progressing rapidly.
- 0 - Dead

Eastern Cooperative Oncology Group (ECOG)

Score Definition

- 0 – Asymptomatic. Fully active, able to carry on all predisease activities without restriction
- 1 – Symptomatic but completely ambulatory. Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature (e.g., light housework, office work).
- 2 – Symptomatic, <50% in bed during the day. Ambulatory and capable of all self-care but unable to carry out any work activities. Up and about more than 50% of waking hours.
- 3 – Symptomatic, >50% in bed, but not bedbound. Capable of only limited self-care, confined to bed or chair 50% or more of waking hours.
- 4 – Bedbound. Completely disabled. Cannot carry on any self-care. Totally confined to bed or chair.
- 5 – Death

Codes

The following code(s) require prior authorization:

Table 1: CPT/HCPCS Codes

Code	Description
61796	Stereotactic radiosurgery (particle beam, gamma ray or linear accelerator); 1 simple cranial lesion
61797	Stereotactic radiosurgery (particle beam, gamma ray or linear accelerator); each additional cranial lesion, simple (List separately in addition to code for primary procedure)
61798	Stereotactic radiosurgery (particle beam, gamma ray or linear accelerator); 1 complex cranial lesion
63620	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 spinal lesion
63621	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional spinal lesion (List separately in addition to code for primary procedure)
77371	Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; multi-source Cobalt 60 based
77372	Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; linear accelerator based
77373	Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions
77432	Stereotactic radiation treatment management of cranial lesion(s) (complete course of treatment consisting of 1 session)
77435	Stereotactic body radiation therapy, treatment management, per treatment course, to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions
G0339	Image-guided robotic linear accelerator-based stereotactic radiosurgery, complete course of therapy in one session or first session of fractionated treatment
G0340	Image-guided robotic linear accelerator-based stereotactic radiosurgery, delivery including collimator changes and custom plugging, fractionated treatment, all lesions, per session, second through fifth sessions, maximum five sessions per course of treatment

References:

1. Centers for Medicare and Medicaid. Local coverage determination: stereotactic body radiation therapy (L28366). Accessed on January 8, 2013 from cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=35076&ContrId=275&ver=5&ContrVer=1&Date=&DocID=L35076&bc=iAAAAAqAAAAAA%3d%3d&
2. National Comprehensive Cancer Network. Clinical Practice Guidelines in Oncology (NCCN Guidelines®): Non-Small Cell Lung Cancer, Version 4.2016. Accessed September 6, 2016 at nccn.org.

3. Hayes, Inc.. Noninvasive Cardiac Radioablation for Ventricular Tachycardia. Hayes Clinical Research Response. August 16, 2018. Last accessed November 7, 2018 at Hayesinc.com.
4. Roos D. What is the randomised evidence for surgery and stereotactic radiosurgery for patients with solitary (or few) brain metastases?. *Int J Evid Based Healthc*. 2011;9(1):61-66. doi:10.1111/j.1744-1609.2010.00201.x
5. Nieder C, Mehta MP. Prognostic indices for brain metastases--usefulness and challenges. *Radiat Oncol*. 2009 Mar 4;4:10. doi: 10.1186/1748-717X-4-10. PMID: 19261187; PMCID: PMC2666747
6. Ciara M. Kelly, Armin Shahrokni, "Moving beyond Karnofsky and ECOG Performance Status Assessments with New Technologies", *Journal of Oncology*, vol. 2016, Article ID 6186543, 13 pages, 2016. doi.org/10.1155/2016/6186543
7. Gaspar L, Scott C, Rotman M, et al. Recursive partitioning analysis (RPA) of prognostic factors in three Radiation Therapy Oncology Group (RTOG) brain metastases trials. *Int J Radiat Oncol Biol Phys*. 1997;37(4):745-751. doi:10.1016/s0360-3016(96)00619-0
8. Mehta MP, Tsao MN, Whelan TJ, et al. The American Society for Therapeutic Radiology and Oncology (ASTRO) evidence-based review of the role of radiosurgery for brain metastases. *Int J Radiat Oncol Biol Phys*. 2005;63(1):37-46. doi:10.1016/j.ijrobp.2005.05.023
9. Scoccianti S, Ricardi U. Treatment of brain metastases: review of phase III randomized controlled trials. *Radiother Oncol*. 2012 Feb;102(2):168-79. doi: 10.1016/j.radonc.2011.08.041. Epub 2011 Oct 11. PMID: 21996522
10. Weltman E, Salvajoli JV, Brandt RA, et al. Radiosurgery for brain metastases: a score index for predicting prognosis. *Int J Radiat Oncol Biol Phys*. Mar 15 2000;46(5):1155-1161. PMID 10725626
11. Lutz S, Balboni T, Jones J, Lo S, Petit J, Rich SE, Wong R, Hahn C. Palliative radiation therapy for bone metastases: Update of an ASTRO Evidence-Based Guideline. *Pract Radiat Oncol*. 2017 Jan-Feb;7(1):4-12. doi: 10.1016/j.prro.2016.08.001. Epub 2016 Aug 5. PMID: 27663933.
12. Guckenberger M, Lievens Y, Bouma AB, et al. Characterisation and classification of oligometastatic disease: a European Society for Radiotherapy and Oncology and European Organisation for Research and Treatment of Cancer consensus recommendation. *Lancet Oncol*. 2020;21(1):e18-e28. doi:10.1016/S1470-2045(19)30718-1
13. D Lievens Y, Guckenberger M, Gomez D, et al. Defining oligometastatic disease from a radiation oncology perspective: An ESTRO-ASTRO consensus document. *Radiother Oncol*. 2020;148:157-166. doi:10.1016/j.radonc.2020.04.003
14. Klement RJ, Belderbos J, Grills I, Werner-Wasik M, Hope A, Giuliani M, Ye H, Sonke JJ, Peulen H, Guckenberger M. Prediction of Early Death in Patients with Early-Stage NSCLC-Can We Select Patients without a Potential Benefit of SBRT as a Curative Treatment Approach? *J Thorac Oncol*. 2016 Jul;11(7):1132-9. doi: 10.1016/j.jtho.2016.03.016. Epub 2016 Apr 7. PMID: 27060654.
15. Palma DA, Olson R, Harrow S, et al. Stereotactic Ablative Radiotherapy for the Comprehensive Treatment of Oligometastatic Cancers: Long-Term Results of the SABR-COMET Phase II Randomized Trial. *J Clin Oncol*. 2020;38(25):2830-2838. doi:10.1200/JCO.20.00818
16. Olson R, Mathews L, Liu M, et al. Stereotactic ablative radiotherapy for the comprehensive treatment of 1-3 Oligometastatic tumors (SABR-COMET-3): study protocol for a randomized phase III trial. *BMC Cancer*. 2020;20(1):380. Published 2020 May 5. doi:10.1186/s12885-020-06876-4
17. Centers for Medicare Medicaid; Local Coverage Determination LCD Stereotactic Radiation Therapy: Stereotactic Radiosurgery (SRS) and Stereotactic Body Radiation Therapy (SBRT) (L35076). Last accessed January 4, 2023. LCD - Stereotactic Radiation Therapy: Stereotactic Radiosurgery (SRS) and Stereotactic Body Radiation Therapy (SBRT) (L35076) ([cms.gov](https://www.cms.gov))
18. Palma DA, Olson R, Harrow S, et al. Stereotactic Ablative Radiotherapy for the Comprehensive Treatment of Oligometastatic Cancers: Long-Term Results of the SABR-COMET Phase II Randomized Trial. *J Clin Oncol*. 2020;38(25):2830-2838. doi:10.1200/JCO.20.00818
19. Bianciotto C, Shields CL, Lally SE, Freire J, Shields JA. CyberKnife radiosurgery for the treatment of intraocular and periocular lymphoma. *Arch Ophthalmol*. 2010;128(12):1561-1567. doi:10.1001/archophthalmol.2010.283
20. Li GJ, Arifin AJ, Al-Shafa F, et al. A review of ongoing trials of stereotactic ablative radiotherapy for oligometastatic disease in the context of new consensus definitions. *Ann Palliat Med*. 2021;10(5):6045-6051. doi:10.21037/apm-20-847
21. American Society for Radiation Oncology . Model Policies. Stereotactic Radiosurgery. June (SRS), 2022. Accessed January 4, 2022. [ASTRO-SRS_ModelPolicy.pdf](#)
22. American Society for Radiation Oncology . Model Policies. Stereotactic Body Radiation Therapy (SBRT). June, 2020. Accessed January 4, 2022. [ASTROSBRTModelPolicy.pdf](#)
23. NCCN. Clinical Practice Guidelines in Oncology. Melanoma: uveal, version 2.2022. Accessed January 4, 2023. [Guidelines Detail \(nccn.org\)](#)
24. Wei C, Qian PC, Boeck M, et al. Cardiac stereotactic body radiation therapy for ventricular tachycardia: Current

experience and technical gaps. *J Cardiovasc Electrophysiol*. 2021;32(11):2901-2914. doi:10.1111/jce.15259

25. Wight J, Bigham T, Schwartz A, et al. Long Term Follow-Up of Stereotactic Body Radiation Therapy for Refractory Ventricular Tachycardia in Advanced Heart Failure Patients. *Front Cardiovasc Med*. 2022;9:849113. Published 2022 Apr 29. doi:10.3389/fcvm.2022.849113
26. Guarracini F, Tritto M, Di Monaco A, et al. Stereotactic Arrhythmia Radioablation Treatment of Ventricular Tachycardia: Current Technology and Evolving Indications. *J Cardiovasc Dev Dis*. 2023;10(4):172. Published 2023 Apr 17. doi:10.3390/jcdd10040172

Approval And Revision History

October 20, 2020: Reviewed by the Medical Technology Assessment Committee renewed with no changes
Subsequent endorsement date(s) and changes made:

- December 21, 2022: Reviewed by MPAC, renewed without changes
- January 18, 2023: Reviewed by the Medical Policy Approval Committee (MPAC). Effective April 1, 2023 ocular melanoma added to allowed conditions, SRS. Criteria requirement for SBRT, oligometastatic disease, changed from 3 to 5 metastatic lesions; CPT codes 32701, 61799 and 61800 no longer required prior authorization, Medical Necessity Guidelines are applicable to Harvard Pilgrim Health Care.
- June 21, 2023: Reviewed by MPAC. Removed limitation noninvasive cardiac radioablation using stereotactic radiotherapy for the treatment of ventricular tachycardia, effective August 1, 2023

Background, Product and Disclaimer Information

Medical Necessity Guidelines are developed to determine coverage for benefits and are published to provide a better understanding of the basis upon which coverage decisions are made. We make coverage decisions using these guidelines, along with the Member's benefit document, and in coordination with the Member's physician(s) on a case-by-case basis considering the individual Member's health care needs.

Medical Necessity Guidelines are developed for selected therapeutic or diagnostic services found to be safe and proven effective in a limited, defined population of patients or clinical circumstances. They include concise clinical coverage criteria based on current literature review, consultation with practicing physicians in our service area who are medical experts in the particular field, FDA and other government agency policies, and standards adopted by national accreditation organizations. We revise and update Medical Necessity Guidelines annually, or more frequently if new evidence becomes available that suggests needed revisions.

For self-insured plans, coverage may vary depending on the terms of the benefit document. If a discrepancy exists between a Medical Necessity Guideline and a self-insured Member's benefit document, the provisions of the benefit document will govern. For Tufts Health Together (Medicaid), coverage may be available beyond these guidelines for pediatric members under age 21 under the Early and Periodic Screening, Diagnostic and Treatment (EPSDT) benefits of the plan in accordance with 130 CMR 450.140 and 130 CMR 447.000, and with prior authorization.

Treating providers are solely responsible for the medical advice and treatment of Members. The use of this guideline is not a guarantee of payment or a final prediction of how specific claim(s) will be adjudicated. Claims payment is subject to eligibility and benefits on the date of service, coordination of benefits, referral/authorization, utilization management guidelines when applicable, and adherence to plan policies, plan procedures, and claims editing logic.