

Pharmacy Medical Necessity Guidelines: Myalept® (metreleptin)

Effective: August 8, 2020

Prior Authorization Required	√	Type of Review – Care Management	
Not Covered		Type of Review – Clinical Review	√
Pharmacy (RX) or Medical (MED) Benefit	Rx	Department to Review	RxUM
<p>These pharmacy medical necessity guidelines apply to the following:</p> <p>Commercial Products</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Tufts Health Plan Commercial products – large group plans <input checked="" type="checkbox"/> Tufts Health Plan Commercial products – small group and individual plans <input checked="" type="checkbox"/> Tufts Health Freedom Plan products – large group plans <input checked="" type="checkbox"/> Tufts Health Freedom Plan products – small group plans • CareLinkSM – Refer to CareLink Procedures, Services and Items Requiring Prior Authorization <p>Tufts Health Public Plans Products</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Tufts Health Direct – A Massachusetts Qualified Health Plan (QHP) (a commercial product) <input checked="" type="checkbox"/> Tufts Health Together – MassHealth MCO Plan and Accountable Care Partnership Plans <input checked="" type="checkbox"/> Tufts Health RITogether – A Rhode Island Medicaid Plan 		<p>Fax Numbers:</p> <p>RXUM: 617.673.0988 MM: 888.415.9055 PRECERT: 617.972.9409</p>	

Note: This guideline does not apply to Medicare Members (includes dual eligible Members).

OVERVIEW

Myalept (metreleptin) is indicated as an adjunct to diet as replacement therapy to treat the complications of leptin deficiency in patients with congenital or acquired generalized lipodystrophy.

The safety and effectiveness of Myalept (metreleptin) for the treatment of complications of partial lipodystrophy have not been established.

The safety and effectiveness of Myalept (metreleptin) for the treatment of liver disease, including nonalcoholic steatohepatitis, have not been established.

Myalept (metreleptin) is not indicated for use in patients with human immunodeficiency virus-related lipodystrophy.

Myalept (metreleptin) is not indicated for use in patients with metabolic disease, without concurrent evidence of generalized lipodystrophy.

Myalept (metreleptin) is available only through a Risk Evaluation and Mitigation Strategy (REMS) program.

COVERAGE GUIDELINES

The plan may authorize coverage of Myalept (metreleptin) for Members, when the following criteria are met:

1. Member has a diagnosis of congenital or acquired generalized lipodystrophy due to a leptin deficiency

AND

2. Conventional treatments for metabolic disturbances have failed (e.g., lifestyle modification, antidiabetic agents, statins)

AND

3. Documentation Myalept (metreleptin) is being used as an adjunct to diet modification

AND

4. The prescribing physician is an endocrinologist

AND

5. Documentation the Member has **at least** one of the following conditions:
 - a) Diabetes Mellitus
 - b) Hypertriglyceridemia
 - c) Insulin Resistance

LIMITATIONS

- The plan will not provide coverage of Myalept (metreleptin) for:

- a) Treatment of complications of partial lipodystrophy.
- b) Treatment of liver disease, including nonalcoholic steatohepatitis.
- c) Treatment of human immunodeficiency virus-related lipodystrophy.
- d) Treatment of metabolic disease, including diabetes mellitus and hypertriglyceridemia, without concurrent evidence of generalized lipodystrophy.
- e) Treatment of general obesity not associated with congenital leptin deficiency.

CODES

None

REFERENCES

1. Chan JL, Lutz K, Cochran E, et al. Clinical effects of long-term metreleptin treatment in patients with lipodystrophy. *Endocr Pract.* 2011; 17(6):922-32.
2. Food and Drug Administration. Drugs@FDA. URL: fda.gov/downloads/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/UCM388903.pdf. Available from Internet. Accessed 2014 August 21.
3. Food and Drug Administration. Endocrinologic and Metabolic Drugs Advisory Committee Briefing Document. URL: fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/Drugs/EndocrinologicandMetabolicDrugsAdvisoryCommittee/UCM377929.pdf. Available from Internet. Accessed 2017 June 20.
4. Garg A. Acquired and Inherited Lipodystrophies. *N Engl J Med.* 2004; 350:1220-1234.
5. Handelsman Y, Oral EA, Bloomgarden ZT, et al. The clinical approach to the detection of lipodystrophy - an AACE consensus statement. *Endocr Pract.* 2013; 19(1):107-16.
6. Myalept prescribing information. Cambridge, MA: Aegerion Pharmaceuticals, Inc.; 2019 December.
7. Oral EA, Simha V, Ruiz E, et al. Leptin-replacement therapy for lipodystrophy. *N Engl J Med.* 2002; 346:570-578.

APPROVAL HISTORY

xxxxxxx xx, 20xx: Reviewed by Pharmacy & Therapeutics Committee.

Subsequent endorsement date(s) and changes made:

1. August 11, 2015: No changes
2. January 1, 2016: Administrative change to rebranded template.
3. July 12, 2016: No changes
4. April 11, 2017: Administrative update. Effective 6/1/2017, Medical Necessity Guideline applies to Tufts Health RITogether.
5. July 11, 2017: No changes
6. June 12, 2018: No changes
7. June 11, 2019: Administrative update to the template and the overview section.
8. June 9, 2020: Removed reauthorization criteria and changed the approval duration to life of plan.

BACKGROUND, PRODUCT AND DISCLAIMER INFORMATION

Pharmacy Medical Necessity Guidelines have been developed for determining coverage for plan benefits and are published to provide a better understanding of the basis upon which coverage decisions are made. The plan makes coverage decisions on a case-by-case basis considering the individual member's health care needs. Pharmacy Medical Necessity Guidelines are developed for selected therapeutic classes or drugs found to be safe, but proven to be effective in a limited, defined population of patients or clinical circumstances. They include concise clinical coverage criteria based on current literature review, consultation with practicing physicians in the service area who are medical experts in the particular field, FDA and other government agency policies, and standards adopted by national accreditation organizations. The plan revises and updates Pharmacy Medical Necessity Guidelines annually, or more frequently if new evidence becomes available that suggests needed revisions.

For self-insured plans, coverage may vary depending on the terms of the benefit document. If a discrepancy exists between a Pharmacy Medical Necessity Guideline and a self-insured Member's benefit document, the provisions of the benefit document will govern.

Treating providers are solely responsible for the medical advice and treatment of members. The use of this policy is not a guarantee of payment or a final prediction of how specific claim(s) will be

adjudicated. Claims payment is subject to member eligibility and benefits on the date of service, coordination of benefits, referral/authorization and utilization management guidelines when applicable, and adherence to plan policies and procedures and claims editing logic.

[Provider Services](#)